# Routing Methods

## What's Right for Your Business?

Your routing method can't be just standard or dynamic anymore. As businesses have grown and changed relative to market demands, so have the methods that get vehicles on the road.

How do you best balance customer demands with cost and efficiency? How do you build routes that are right for your business, but also right for your customers?

Read on to learn about seven routing methods — plus the pros and cons of each.





### **Standard Routing**



This method (also known as static or template routing), is used when it's important to have the same driver service the same customer(s). There is a specific route and sequence and when customers order, they automatically get placed on the route you assign them to. Preferred customers get the service level they desire, but it's harder to get a truck to capacity and save money.

#### **Pros**

- 1 to 1 relationship between driver and customers
- Creates internal consistency and sets customer expectation levels
- Gold customers can still be prioritized without maintaining lots of data


#### Cons

- More costly with a less efficient route plan
- Over time, as new customers are added, routes become less efficient
- Additional route balancing is often needed



### **Full Dynamic Routing**

Centralizing all the information about a customer is the most important part of this method. It requires accurate information about the customer, such as address, priority, and equipment. Dynamic routing looks at business constraints such as capacity, time windows, customer and vehicle restrictions, and total time. Routes are balanced and created automatically based on these restrictions, but this means customers see different drivers from one day to the next and drivers don't master their territories.





#### Pros

- Fewer vehicles with better capacity usage
- Improved sequencing of stops
- Reduced miles
- Customers clustered by location
- Decreased run time
- Lower costs

#### Cons

- Customers lose consistency with drivers
- Drivers can be unfamiliar with territories
- More maintenance required on customer accounts

### **Standard Route Fragments**



This combines both standard and dynamic routing concepts. The main theory is that customers that you want to have 1 to 1 relationships with drivers are placed on the route first in their preferred order and then other customers are dynamically added to the route. Expanding upon this, you can also feather in stops into a route after, before, or in between the set sequence of customers.

#### **Pros**

- Assign drivers to gold customers
- Improved sequencing of stops
- Reduced miles
- Decreased run time
- Lower costs




#### Cons

• Not quite as cost efficient as dynamic routing

### Preferred Route ID Routing

Assign a customer to a specific route, but not a specific sequence. Stops are then dynamically sequenced on the route following dynamic routing rules. This allows for additional customer orders to be added to the route at the lowest cost while adhering to rules.





#### **Pros**

- Assign drivers to gold customers
- Improved sequencing of stops
- Fewer miles than standard routes
- More cost efficient than standard route fragments
- Decreased run time compared to standard routes

#### Cons

- Not as cost efficient as dynamic
- More maintenance required on gold customer accounts

### **Cell Routing**




Cells help blend the benefits of template or standard routing with some of the efficiencies of dynamic routing by geographically grouping customers together. When routes are created, the boundaries can be either hard or soft — meaning drivers or vehicles stay within the cells or allow cell boundaries to be crossed.

#### **Pros**

- Assign drivers to specific areas
- Improved sequencing of stops
- Reduced miles
- Decreased run time

#### Cons

- Not as cost efficient as dynamic routing
- Can create artificial boundaries



### **Zone Routing**

A zone is an identifier used to select similar delivery locations that are not necessarily geographically related to routes using dynamic routing. For example, customers that may need a specific type of equipment that can be routed using only that equipment type.





#### Pros

- Route customers with similar characteristics
- Assign drivers to a specific grouping of customers
- Improved sequencing of stops
- Reduced miles
- Decreased run time

#### Cons

- May reduce efficiencies/density grouping
- Not as efficient as full dynamic routing

### Weekly Routing



Create routes for multiple days with one routing pass. This drives density and reduces cost when orders have a range of times they can be delivered intermingled with orders that have exact delivery dates. This is used in conjunction with full dynamic routing.

#### **Pros**

- Creates density
- Lowers costs
- Eliminates single, far-out runs
- Reduced mileage



#### Cons

• More information required per order

### **Cost Impact Comparison**

COST IMPACT \$ - \$\$\$\$					
\$	Cell Routing				
\$ - \$\$	Standard Routing				
\$ - \$\$	Zone Routing				
\$\$	Standard Route Fragments				
\$\$	Preferred Route ID Routing				
\$\$\$\$	Full Dynamic Routing				
\$\$\$\$	Weekly Routing				

### Customer Service and Efficiency Impact Comparison

**Benefits** 

Route customers with similar characteristics

Fewer vehicles with better capacity usage

Achieve route density

Eliminate single far-out runs



Weekly

Routing Routing Routing Routing Fragments Routing Routing 1 to 1 relationship between customer and driver Χ Χ Χ Χ Create internal consistency and set customer expectation levels Χ Χ Χ Χ Assign drivers to gold customers Assign drivers to specific areas Χ Χ Χ Χ Χ Assign drivers to a specific grouping of customers Χ Χ Χ Χ Prioritize gold customers without maintaining lots of data Χ Improved sequencing of stops Χ Reduction in mileage Χ Χ Χ Χ Χ Χ Χ Χ Χ Χ Decreased run time Customers clustered by location Χ Χ

Standard

Full

Dynamic

Χ

Χ

Χ

Standard

Route

Preferred

Route ID

Cell

Zone

Χ

Χ

Χ

Χ

<u>.</u>	Limitations	Standard Routing	Full Dynamic Routing	Standard Route Fragments	Preferred Route ID Routing	Cell Routing	Zone Routing	Weekly Routing
Customer Service Impact	Customer loses consistency with drivers		X	- ragment	g			
	Drivers unfamiliar with territories		Х					
Efficiency Impact	Additional route balancing often needed	Х				Х	Х	
	As new customers are added, routes become less efficient	X		X	Х			
	More maintenance required on customer accounts		X		Х			Х
	Can create artificial boundaries					Х	X	
	May reduce density grouping						Х	
	More information required per order							Х

To learn how Omnitracs' routing solutions can help businesses of all needs, visit www.omnitracs.com/solutions/planning-delivery.

© 2018 Omnitracs, LLC. All rights reserved. Omnitracs is a trademark of Omnitracs, LLC. All other trademarks are the property of their respective owners. Omnitracs endeavors to ensure that the information in this document is correct and fairly stated, but Omnitracs is not liable for any errors or omissions. Published information may not be up to date, and it is important to confirm current status with Omnitracs. (04/18)